




FREEslide

**Vorserienversion
Pre-series version**





<http://support.kesseboehmer.de/xxx>



4029070000

KESSEBÖHMER MA 12.0001.010.416.0000.00 06.03.2014



i		„mm“	
<p>KH: 320 - 360 LH: ≥ 280</p> <p>KH: 345 - 420 LH: ≥ 308</p> <p>!!! Kg max !</p>	161	3,1 - 6,0 kg	O1us xxxxxxxx
		4,8 - 9,8 kg	O2us xxxxxxxx
		8,7 - 17,3 kg	O3us xxxxxxxx
	188	2,6 - 5,2 kg	P1us xxxxxxxx
		4,1 - 8,4 kg	P2us xxxxxxxx
		7,4 - 14,7 kg	P3us xxxxxxxx
		11,0 - 21,6 kg	P4us xxxxxxxx
	223	2,2 - 4,3 kg	Q1us xxxxxxxx
		3,4 - 7,1 kg	Q2us xxxxxxxx
		6,3 - 12,4 kg	Q3us xxxxxxxx
		9,3 - 18,3 kg	Q4us xxxxxxxx
	268	1,8 - 3,6 kg	R1us xxxxxxxx
2,8 - 5,9 kg		R2us xxxxxxxx	
5,2 - 10,4 kg		R3us xxxxxxxx	
7,7 - 15,2 kg		R4us xxxxxxxx	




4029070000

i		„mm“		
	450	16 19	324	xxxxxxx
	500	16 19	374	xxxxxxx
	600	16 19	474	xxxxxxx
	800	16 19	674	xxxxxxx
	900	16 19	774	xxxxxxx
	1000	16 19	874	xxxxxxx
	1200	16 19	1074	xxxxxxx
	1500	16 19	1374	xxxxxxx
	1800	16 19	1674	xxxxxxx
	KB	16 19	KB - (2 x K) - 88	

KESSEBÖHMER MA 12.0001.010.416.0000.00 06.03.2014

i

„mm“





KH	X	D	U	HH	T	V1	V2
320 - 360	157	274,5	KH - HH - K	278	≥ 281	128	177
345 - 420	185	302,5		328	≥ 333	146	205
380 - 500	220	337,5		390	≥ 393	168	240
430 - 600	265	382,5		470	≥ 473	196	284


4029070000

KESSEBÖHMER MA 12.0001.010.416.0000.00 06.03.2014



1




„mm“



2




3




4029070000


4



KESSEBÖHMER MA 12.0001.010.416.0000.00 06.03.2014












6




5






7



i



4029070000

06.03.2014

KESSEBÖHMER MA 12.0001.010.416.0000.00