



**KESSEBÖHMER**  
CLEVER STORAGE



# iMove

**THE INTELLIGENT PULL-DOWN SYSTEM  
FOR WALL UNITS**



# iMove INTELLIGENT MOVEMENT

DESIGN DELIVERS PRACTICAL BENEFITS

 KESSEBÖHMER



**iMove SETS NEW STANDARDS FOR WALL UNITS. THE PRODUCT COMBINES THE BEAUTIFUL AND THE PRACTICAL WITH ONE EFFORTLESS MOVEMENT. HOW MUCH INTELLIGENCE DO YOU WANT?**




There's easy operation, more reachable storage, a clearer view, fast access. The innovative iMove pull-down transforms a conventional wall unit into an ergonomic storage system with big user benefits. The iMove and its contents are pulled downwards and outwards in one easy movement. And the iMove combines practical benefits with a brilliantly stylish design.

**CLEAR BENEFITS:**

- Effortless operation
- Everything in easy reach
- A clearer overview.
- Fast access
- High-quality design
- Elegant movement
- Smooth, steady action


[www.kesseboehmer.com/imove](http://www.kesseboehmer.com/imove) 

Dimensions in mm




$Y \geq 295 \Rightarrow X=82$

Drilling pattern for positioning tabs



Drilling pattern for euro screws



# iMove · Single Tray

## Installation situation

Dimensions (mm)	Hinged door	Hinged door	FREEfold	Blum Aventos HF
Hinge protrusion	< 25	> 25	–	–
Installation height, hinge	65	65	–	–
Installation depth, iMove	57	57	82	82
Installation height, iMove	25	80	25	25
Clear inside depth, carcase	270	270	295	295
Minimum height, carcase*	520	580	650	650

\* Carcase heights vary with the individual installation situations.

## iMove set single tray

Including fixings:

8 x wood screws 4.5 x 50 mm

1 x drilling template

including side cover caps


Silver	0102	Chipboard decor grey	0316
Brilliant white	9966	Chipboard decor ice white	0343
Satin gold	0103	Chipboard decor gold green	0347
Anthracite	9846	Chipboard decor Anthracite	0342




Carcase width (mm)	Clear inside carcase width (mm)	Dimensions (mm) B x D x H	Art. no.
500	462-468	465 x 267 x 380	<b>02 1700</b>
600	562-568	565 x 267 x 380	<b>02 1702</b>
800	762-768	765 x 267 x 380	<b>02 1704</b>
900	862-868	865 x 267 x 380	<b>02 1706</b>




Dimensions in mm



Drilling pattern for positioning tabs



Drilling pattern for euro screws



# iMove · Double Tray

## Installation situation

Dimensions (mm)	Hinged door	Hinged door	FREEfold	Blum Aventos HF
Hinge protrusion	< 25	> 25	–	–
Installation height, hinge	65	65	–	–
Installation depth, iMove	57	57	82	82
Installation height, iMove	25	80	25	25
Clear inside depth, carcass	270	270	295	295
Minimum height, carcass*	710	770	710	710

\* Carcase heights vary with the individual installation situations.

### iMove set double tray

Including fixings:

8 x wood screws 4.5 x 50 mm

1 x drilling template

including side cover caps

Silver	0102	Chipboard decor grey	0316
Brilliant white	9966	Chipboard decor ice white	0343
Satin gold	0103	Chipboard decor gold green	0347
Anthracite	9846	Chipboard decor Anthracite	0342



Carcass width (mm)	Clear inside carcass width (mm)	Dimensions (mm) B x D x H	Art. no.
500	462-468	465 x 267 x 565	02 1710
600	562-568	565 x 267 x 565	02 1712



